

CLAIM AMENDMENTS

In the claims:

Please amend claims 3, 5, 6, 13, 16-23, 48, 49, 54, 58-60, and 63, as shown below. Claims 25, 26, 36-42, 45-47, and 55-57 are cancelled without prejudice. Claim 68 is a new claim. A marked-up copy of the claims does follow.

1. A composition comprising a substantially purified thermostable GuxA peptide, said GuxA peptide comprising a first catalytic domain GH6, a second catalytic domain GH 12, a carbohydrate binding domain (CBD) type III, and a carbohydrate binding domain (CBD) type II.
2. The composition of claim 1 wherein the Gux A peptide is further defined as comprising a linker and a signal peptide.
3. (currently amended) The composition of claim 1 ~~or~~ 2 wherein the GH6 catalytic domain of the GuxA peptide is further defined as having a length of about 420 to about 425 amino acids.
4. The composition of claim 1, 2 or 3 wherein the GH12 catalytic domain of the GuxA peptide is further defined as having a length of about 225 to about 235 amino acids.
5. (currently amended) The composition of claim 1, 2, or 3 ~~or~~ 4 wherein the carbohydrate binding domain (CBD) type III of the GuxA peptide is further defined as having a length of about 145 to about 155 amino acids.
6. (currently amended) The composition of claim 1, 2, or 3, ~~4 or 5~~ wherein the carbohydrate binding domain (CBD) type II of the GuxA peptide is further defined as having a length of about 95 amino acids to about 105 amino acids in length.

7. The composition of claim 3 wherein the GH6 catalytic domain is further defined as the sequence of SEQ ID NO: 4.
8. The composition of claim 4 wherein the GH12 catalytic domain is further defined as the sequence of SEQ ID NO: 7.
9. The composition of claim 5 wherein the carbohydrate binding domain (CBD) type III is further defined as the sequence of SEQ ID NO: 5.
10. The composition of claim 6 wherein the carbohydrate binding domain (CBD) type III is further defined as the sequence of SEQ ID NO: 8.
11. The composition of claim 1 further defined as comprising a sequence of SEQ ID NO: 4, SEQ ID NO: 7, SEQ ID NO: 5 and SEQ ID NO: 8.
12. A thermal tolerant GuxA peptide having a sequence of SEQ ID NO: 1.
13. (currently amended) The GuxA peptide of claim 12 further defined as having a sequence encoded by of SEQ ID NO: 2.
14. An industrial mixture suitable for degrading cellulose, such mixture comprising the GuxA polypeptide of claim 1.
15. The industrial mixture of claim 14 further defined as comprising a detergent.
16. (currently amended) The composition of claim 1 wherein the GuxA peptide is further defined as comprising an amino nucleic acid sequence having at least 90% sequence identity to ~~the nucleic acid sequence encoding an amino acid sequence of SEQ ID NO: 4.~~

17. (currently amended) The composition of claim 1 wherein the GuxA peptide is further defined as comprising an amino nucleic acid sequence having at least 90% sequence identity to the nucleic acid sequence encoding the amino acid sequence of SEQ ID NO: 7.

18. (currently amended) The composition of claim 1 wherein the GuxA peptide is further defined as comprising an amino nucleic acid sequence having at least 90% sequence identity to the nucleic acid sequence encoding the amino acid sequence of SEQ ID NO: 5.

19. (currently amended) The composition of claim 1 wherein the GuxA peptide is further defined as comprising an amino nucleic acid sequence having at least 90% sequence identity to the nucleic acid sequence encoding the amino acid sequence of SEQ ID NO: 8.

20. (currently amended) The composition of claim 1 wherein the GuxA peptide is further defined as comprising an amino nucleic acid sequence having at least 90% sequence identity to the nucleic acid sequence encoding the amino acid sequence of SEQ ID NO: 1.

21. (currently amended) The composition of claim 1 wherein the GuxA peptide is further defined as comprising an amino nucleic acid sequence having at least 90% identity to an amino nucleic acid sequence encoded by SEQ ID NO: 2.

22. (currently amended) The composition of claim 1 wherein the GuxA peptide is further defined as comprising a nucleic acid sequence encoding a heterologous combination of the first catalytic domain GH6, the second catalytic domain GH 12, the carbohydrate binding domain (CBD) type III, and the carbohydrate binding domain (CBD) type II protein in frame with the GuxA peptide of claim 1.

23. (currently amended) The composition of claim 22 wherein the heterologous combination further comprises protein in frame with the GuxA peptide of claim 1 is further defined as a peptide tag.

~~24. (currently amended) The composition of claim 23 wherein the peptide tag is 6-His, thioredoxin, hemaglutinin, GST, or OmpA signal sequence tag.~~

~~24. (cancelled)~~

25. (cancelled)

26. (cancelled)

27. An isolated polypeptide molecule comprising:

- a) a sequence of SEQ ID NO: 4;
- b) a sequence of SEQ ID NO: 7;
- c) a sequence of SEQ ID NO: 5;
- d) a sequence of SEQ ID NO: 8;
- e) a sequence of SEQ ID NO: 1; or
- f) an amino acid sequence having at least 70% sequence identity with the amino acid sequence of a), b), c), d), or e).

28. The polypeptide molecule of claim 27, having at least 90% sequence identity with the amino acid sequence of a), b), c), d), or e).

29. A fusion protein comprising the polypeptide of claim 14 and a heterologous peptide.

30. The fusion protein of claim 29, wherein the heterologous peptide is a substrate targeting moiety.

31. The fusion protein of claim 29, wherein the heterologous peptide is a peptide tag.

32. The fusion protein of claim 31, wherein the peptide tag is 6- His, thioredoxin, hemaglutinin, GST, or OmpA signal sequence tag.

33. The fusion protein of claim 29, wherein the heterologous peptide is an agent that promotes polypeptide oligomerization.
34. The fusion protein of claim 29, wherein the agent is a leucine zipper.
35. A cellulase-substrate complex comprising the isolated polypeptide molecule of claim 27 bound to cellulose.
36. (cancelled)
37. (cancelled)
38. (cancelled)
39. (cancelled)
40. (cancelled)
41. (cancelled)
42. (cancelled)
43. A composition comprising the polypeptide molecule of claim 27 and a carrier.
44. A composition comprising the polypeptide molecule of claim 28 and a carrier.
45. (cancelled)
46. (cancelled)
47. (cancelled)

48. (currently amended) A method for producing GuxA polypeptide, the method comprising:
incubating a host cell genetically engineered to express the ~~polynucleotide molecule~~
polypeptide molecule of claim 27.
49. (currently amended) The method of claim 49, further comprising the step of:
isolating the ~~GuxA~~
polypeptide molecule from the incubated host cells.
50. The method of claim 49, wherein the host cell is a plant cell.
51. The method of claim 49, wherein the host cell is a bacterial cell.
52. The method of claim 49, wherein the host cell is genetically engineered to express a selectable marker.
53. The method of claim 49, wherein the host cell further comprises a polynucleotide molecule encoding one or more polypeptide molecules selected from the glycoside hydrolase family of proteins.
54. (currently amended) The method of claim 53, wherein the glycoside hydrolase is a thermostable glycoside hydrolase.
55. (cancelled)
56. (cancelled)
57. (cancelled)

58. (currently amended) A method for assessing the carbohydrate degradation hydrolysis activity of GuxA comprising: analyzing a carbohydrate degradation hydrolysis in the presence of GuxA and a carbohydrate degradation hydrolysis in the absence of GuxA on a substrate; and comparing the carbohydrate degradation hydrolysis in the presence of GuxA with the carbohydrate degradation hydrolysis in the absence of GuxA.

59. (currently amended) A method for assessing the carbohydrate degradation hydrolysis activity of GuxA in the presence of an agent of interest comprising: analyzing a carbohydrate degradation hydrolysis in the presence of GuxA and a carbohydrate degradation hydrolysis in the presence of GuxA and the agent of interest on a substrate exposed; and comparing the carbohydrate degradation hydrolysis in the GuxA treated substrate with the carbohydrate degradation hydrolysis in the GuxA treated substrate in the presence of the agent of interest.

60. (currently amended) The method of claim 59, wherein an increase in carbohydrate degradation hydrolysis activity in the presence of the agent of interest demonstrates stimulation of GuxA activity and wherein a decrease in carbohydrate degradation hydrolysis activity demonstrates inhibition of GuxA activity.

61. The method of claim 58, wherein the carbohydrate is cellulose.

62. The method of claim 58 wherein the agent of interest is an antibody.

63. (currently amended) A method for reducing hydrolyzing cellulose in a starting material, the method comprising:

administering to the starting material an effective amount of a polypeptide molecule of claim 27.

64. The method of claim 62, further comprising administering a second polypeptide molecule selected from the glycoside hydrolase family of proteins

65. The method of claim 63, wherein the polypeptide molecule of claim 27 is thermostable.

66. The method of claim 63, wherein the starting material is agricultural biomass.

67. The method of claim 63, wherein the starting material is municipal solid waste.

68. (new) The composition of claim 22 wherein the heterologous combination further comprises-a substrate targeting moiety.